



**Constancy table for Ryegrass pasture (MG6)
Lolium perenne-*Cynosurus cristatus* grassland.**

Sub-community	a	b	c	d
	Common bent	Yellow oat-grass	Meadowsweet	
	Typical	<i>Agrostis capillaris</i>	<i>Trisetum flavescens</i>	<i>Filipendula ulmaria</i>
Number of samples	102	43	10	556
<i>Lolium perenne</i>	V	V	V	IV
<i>Cynosurus cristatus</i>	V	V	IV	IV
<i>Trifolium repens</i>	V	V	V	IV
<i>Holcus lanatus</i>	IV	V	III	V
<i>Cerastium fontanum</i>	III	V	IV	IV
<i>Festuca rubra</i>	III	IV	IV	V
Species preferential to sub-community a				
<i>Cirsium vulgare</i>	II	I	.	.
<i>Iris pseudacorus</i>	I	.	.	.
Species preferential to sub-community b				
<i>Agrostis capillaris</i>	III	V	IV	III
<i>Hypochoeris radicata</i>	I	II	I	.
<i>Luzula campestris</i>	I	II	.	I
<i>Rhynchospora squarrosa</i>	I	II	.	.
Species preferential to sub-community c				
<i>Trisetum flavescens</i>	I	I	V	.
<i>Phleum bertolonii</i>	I	I	V	.
<i>Pimpinella saxifraga</i>	.	I	II	.
<i>Dactylis glomerata</i>	III	III	IV	I
Species preferential to sub-community d				
<i>Filipendula ulmaria</i>	.	.	.	IV
<i>Ranunculus repens</i>	II	I	.	V
<i>Trifolium pratense</i>	II	II	I	IV
<i>Cardamine pratensis</i>	I	I	.	IV
<i>Rumex acetosa</i>	II	III	I	V
<i>Taraxacum officinale</i> agg.	III	II	II	IV
<i>Phleum pratense</i>	I	I	I	III
<i>Carex hirta</i>	.	.	.	II

<i>Agrostis canina</i>	.	.	.	II
<i>Carex disticha</i>	.	.	.	II
<i>Stellaria graminea</i>	.	.	.	II
<i>Senecia aquaticus</i>	.	.	.	I
<i>Calliargon cuspidatum</i>	.	.	.	I
<i>Cirsium palustre</i>	.	.	.	I
<i>Juncus inflexus</i>	.	.	.	I
<i>Caltha palustris</i>	.	.	.	I
<i>Lysimachia nummularia</i>	.	.	.	I
<i>Polygonum amphibium</i>	.	.	.	I
<i>Lychnis flos-cuculi</i>	.	.	.	I
<i>Sanguisorba officinalis</i>	.	.	.	I
<i>Bromus racemosus</i>	.	.	.	I
<i>Carex panicea</i>	.	.	.	I
<i>Carex nigra</i>	.	.	.	I
<i>Eleocharis palustris</i>	.	.	.	I
<i>Equisetum palustre</i>	.	.	.	I
<i>Galium palustre</i>	.	.	.	I
<i>Juncus articulatus</i>	.	.	.	I
<i>Juncus acutiflorus</i>	.	.	.	I
<i>Lotus uliginosus</i>	.	.	.	I
<i>Veronica serpyllifolia</i>	.	.	.	I
<i>Vicia cracca</i>	.	.	.	I
<i>Leontodon hispidus</i>	.	.	.	I
<i>Carex flacca</i>	.	.	.	I
<i>Rhynchosstegia conferta</i>	.	.	.	I
Associated species				
<i>Plantago lanceolata</i>	II	III	IV	IV
<i>Anthoxanthum odoratum</i>	I	V	.	V
<i>Ranunculus acris</i>	III	IV	I	V
<i>Poa pratensis</i>	II	III	III	II
<i>Cirsium arvense</i>	II	II	III	I
<i>Bellis perennis</i>	II	II	II	I
<i>Achillea millifolium</i>	II	II	II	.
<i>Brachythecium rutabulum</i>	II	II	III	III
<i>Poa trivialis</i>	II	II	II	III
<i>Agrostis stolonifera</i>	II	I	I	II
<i>Alopecurus pratensis</i>	II	I	I	II
<i>Leontodon autumnalis</i>	I	II	II	II
<i>Bromus hordeaceus</i>	I	II	I	I
<i>Festuca pratensis</i>	I	I	I	II
<i>Lathyrus pratensis</i>	I	I	I	II
<i>Centaurea nigra</i>	I	I	.	II
<i>Juncus effusus</i>	I	I	.	I
<i>Trifolium dubium</i>	I	I	I	I
<i>Veronica chamaedrys</i>	I	I	I	.
<i>Medicago lupulina</i>	I	I	I	.
<i>Potentilla reptans</i>	I	I	I	I

<i>Prunella vulgaris</i>				
<i>Eurhynchium praelongum</i>				.
<i>Poa annua</i>				.
<i>Festuca ovina</i>				.
<i>Arrhenatherum elatius</i>			.	
<i>Plantago major</i>			.	.
<i>Potentilla anserina</i>			.	
<i>Rhinanthus minor</i>			.	
<i>Rumex obtusifolius</i>			.	.
<i>Deschampsia cespitosa</i>		.	.	
<i>Alopecurus geniculatus</i>			.	

Footnote

The 'b' sub-community has been relabelled as *Agrostis capillaris* since *Anthoxanthum odoratum* is no longer preferential to this unit.